

**GOVERNMENT OF ANDHRA PRADESH**

**ABSTRACT**

Public Services – PR&RD – Allegations of irregularities in execution of the road works from Hindupur to Pilligundla (Rolla Mandal) of Anantapur district taken up by PRED under PMGSY phase –VI – Sri G. Ravi, formerly Deputy Executive Engineer (PR) PIU SD Penukonda Anantpaur, now working in DWMA, Kurnool on deputation – Disciplinary proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of charges – Issued.

-----

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.II) DEPARTMENT

**G.O.Rt.No.109**

**Dated: 03.02.2015**

**ORDER:**

It is proposed to hold an enquiry against Sri G. Ravi, formerly Deputy Executive Engineer (PR), PIU SD, Penukonda, Anantpaur, now working in DWMA, Kurnool on deputation in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II and III).

3. Sri G. Ravi, formerly Deputy Executive Engineer (PR), PIU SD, Penukonda, Anantpaur, now working in DWMA, Kurnool on deputation is directed to submit within (10) days of the receipt of this order, a written statement of his defence.

4. Sri G. Ravi, formerly Deputy Executive Engineer (PR), PIU SD, Penukonda, Anantpaur, now working in DWMA, Kurnool on deputation is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny article of charge.

5. Sri G. Ravi, formerly Deputy Executive Engineer (PR) PIU SD Penukonda Anantpaur, now working in DWMA, Kurnool on deputation is further informed that if he does not submit his written statement of defence on or before the period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri G. Ravi, formerly Deputy Executive Engineer (PR) PIU SD Penukonda Anantpaur, now working in DWMA, Kurnool on deputation is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri G. Ravi, formerly Deputy Executive Engineer (PR) PIU SD Penukonda Anantpaur, now working in DWMA, Kurnool on deputation is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

(Contd....)

7. The receipt of this G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S.JAWAHAR REDDY  
SECRETARY TO GOVERNMENT

To

Sri G. Ravi, formerly Deputy Executive Engineer (PR) PIU SD Penukonda Anantpaur, now working in DWMA, Kurnool on deputation through the Engineer-in-Chief, Panchayat Raj, Hyderabad.

The Engineer-in-Chief, Panchayat Raj, Hyderabad. (in duplicate with a request to serve and return the dated acknowledgement copy)

**Copy to:**

The G.A.(V&E) Dept. (w.r.t. Vigilance Report No.68 (464/V&E/E1/2011), dt. 23.04.2014).

The Secretary to VC, APVC, Hyderabad.

The PR&RD (Estt.I) Department.

SF/SC

//FORWARDED::BY::ORDER//

SECTION OFFICER

**Annexure –I**  
**STATEMENT SHOWING THE ARTICLE OF CHARGES FRAMED AGAINST**  
**SRI G. RAVI, FORMERLY DEPUTY EXECUTIVE ENGINEER (PR) PIU SD**  
**PENUKONDA ANANTPAUR, NOW WORKING IN DWMA, KURNOOL ON**  
**DEPUTATION (D.O.B : 02.06.1964).**

**CHARGE-1:**

That the said Sri G. Ravi, formerly Deputy Executive Engineer (PR) PIU SD Penukonda Anantapur, now working in DWMA, Kurnool on deputation, has committed irregularities in execution of the road work from Hindupur to Pilligundla Via Ketahpalli, Manuru and Y.B Halli, taken up under PMGSY Phase VI (Rolla Mandal). He checked measured and recommended for payment for the item of work OGPC in Km3.0 to 4/0, 5/0to 6/0, 11/0 to 12/0, 14/0 to 15/0, 18/0 to 19/0, 24/0 to 25/0, 25/0 to 26/0, 29/0 to 30/0, 32/0 to 32/500 which was not executed as per the Agreement specifications, without proper verification and assessment of quality of work and deficiency in B.T Content is observed more than 15% liable for rejection . Rejected value of work is Rs.29,51,700/- He failed to discharge his legitimate duties and violated Rule 3 of APCS Conduct Rule,1964.

**CHARGE-2:**

That the said Sri G. Ravi, former Deputy Executive Engineer (PR), PIU SD, Penukonda, Anantapur, now working in DWMA, Kurnool on deputation has committed irregularities in execution of the road work from Hindupur to Pilligundla (Rolla Mandal). The slab culverts 32/0 and CC pavements 31/6 to 31/8 executed with substandard quality without proper verification and assessment of quality of work and liable for rejection. Rejected value of work is Rs.8,89,672/-. He failed to discharge his legitimate duties and violated Rule 3 of APCS Conduct Rule,1964.

**BASIS:**

In the Vigilance Report No.68 (464/V&E/E1/2011) dt.23.04.2014 of Director General( Vig.& Enft.) & Ex. Officio Principal Secretary to Government, General Administration Department it was informed that the V&E Department officials enquired into the adverse news items Published in Sakshi Daily District Edition dated 11-06-2011 under Caption "Akramala Rahadari" alleging substandard execution of road work executed from Hindupur to Pilligundla (Rolla Mandal) of Anantapur district and the enquiry are as follows.

- (1) The quality of work of the road work executed was totally substandard having deficiency in the bitumen content and deficiency in the thickness of Grade-II WBM metal layer, Grade-II WBM Metal layer and BT layer due to which reasons the road got damaged at several Places.
- (2) Payment was fraudulently made toward the construction of new slab culvert near Pilligundla village by merely plastering the surface of the old slab culvert.
- (3) Payments were made to the contractor for Rs.5.32 crores against the actual value of the executed work of Rs.2.75 crores.
- (4) Rejected value of OGPS work is Rs.29,51,700/- and CC pavement is Rs.8,89,672./-

(contd...)

Thus, he is responsible for execution of substandard road work.

Hence, the charge.

Dr.K.S.JAWAHAR REDDY  
SECRETARY TO GOVERNMENT

SECTION OFFICER

**ANNEXURE-II**

**LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGES FRAMED AGAINST SRI G. RAVI, FORMERLY DEPUTY EXECUTIVE ENGINEER (PR) PIU SD PENUKONDA ANANTPAUR, NOW WORKING IN DWMA, KURNOOL ON DEPUTATION ARE PROPOSED TO BE SUSTAINED**

- 1) Vigilance Report No.68.(464/V&E/E1/2011) dt.23.04.2014 of Director General ( Vig.& Enft.) & Ex. Officio Principal Secretary to Government, General Administration Department.

Dr.K.S.JAWAHAR REDDY  
SECRETARY TO GOVERNMENT

SECTION OFFICER

**ANNEXURE-III**

**LIST OF WITNESSES BY WHOM THE ARTICLE OF CHARGES FRAMED AGAINST SRI G. RAVI, FORMERLY DEPUTY EXECUTIVE ENGINEER (PR) PIU SD PENUKONDA ANANTPAUR, NOW WORKING IN DWMA, KURNOOL ON DEPUTATION ARE PROPOSED TO BE SUSTAINED**

- Nil -

Dr.K.S.JAWAHAR REDDY  
SECRETARY TO GOVERNMENT

SECTION OFFICER